



Castelation® & Castelation® Screenclad

PRODUCT FACT SHEET

Sustainable Style

COMMERCIAL | RESIDENTIAL | CUSTOM

cedarsales.com.au

Modern multi-dimensional appeal

Castelation® and Castelation® Screenclad are partner products from Cedar Sales. These distinctive and contemporary profiles complement design trends in commercial and residential buildings. Continuous channels and shadow lines achieve the appeal of a multi-dimensional batten look in the timeless beauty of Western Red Cedar.

FEATURES + BENEFITS


- Interlocking profile gives consistent alignment and integrity.
- Specially designed interlocking tongue allows for secret fixing.
- 26mm profiles interchangeable with Creative Combinations Range:
 - Castelation® Stepped Expression
 - Castelation® Rough Stack
 - Rib Clad
 - Diamond Clad
- Perfectly straight lines and shadows.
- Single piece 'batten' look means installation is efficient and uncomplicated.
- Available in one standard width and three standard thicknesses.
- Improved Green Star rating with FSC®, PEFC™ and GreenTag^{Cert™} GreenRate Level A Certification.

IDEAL USES


- Entrances
- Feature walls
- Media rooms
- Bulkheads
- Ceilings
- Alfrescos



SCE 81 X 26




CTE 81 X 26 SATIN




SCE 81 X 26

PROFILES AVAILABLE

CASTELATION®



CASTELATION® SCREENCLAD



INSTALLATION

For secret nail fixing and in-depth installation instructions, visit cedarsales.com.au



CASTELATION® & CASTELATION® SCREENCLAD SIZES + SPECS

PROFILE CODE	COVER (MM)	THICKNESS (MM)	MAX SPANS (MM)	ORDER OPTIONS
CASTELATION®				
CTS 81 X 12	81	12	600	<input type="checkbox"/>
CTE 81 X 18	81	18	600	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
CTE 81 X 26*	81	26	600	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
CASTELATION® SCREENCLAD				
SCS 81 X 12	81	12	600	<input type="checkbox"/>
SCE 81 X 18	81	18	600	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
SCE 81 X 26*	81	26	600	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

Suitable for external cladding
 Cutek® pre-oiling available (clear penetrating external oil)

Compatible with 'Creative Combinations Range'
 Custom orders available – contact Cedar Sales rep



Fire protection



Acoustic properties



Unrivalled sustainability



Thermal protection



Structure & performance

Choose Cedar Sales and specify with confidence

Cedar Sales is committed to quality and performance you can count on. Our genuine architectural timber innovations are proven to perform where it matters most. As part of our commitment to provide market-leading quality and integrity, Cedar Sales welcomes third-party testing and certification across fire, acoustics, structural performance and sustainability.



HEAD OFFICE

Manufacturing Plant | National Distribution Warehouse

150 Toongarra Road
 Wulkuraka QLD 4305
 PO Box 5043, Brassall QLD 4305

P 1800 156 455
 F +61 (07) 3281 4322
 E info@cedarsales.com.au

MELBOURNE OFFICE

Showroom | Warehouse

82 Wedgewood Road
 Hallam VIC 3803
 P +61 (03) 9708 6572

cedarsales.com.au

Sustainable Style

COMMERCIAL | RESIDENTIAL | CUSTOM

Photographs, images and drawings used herein are for illustration purposes only. Colours, grades and finishes on actual products may vary. All timber products will vary from samples. Being a natural product, expect sheen, tonal and colour variation and natural features including knots, grains and grain impressions. We recommend viewing all products prior to installation. Cedar Sales' is unable to offer any specific performance warranties for its products because of the wide variation in applications possible. These variables include but are not limited to; situation, design and structure, aspect and differing exposure to the weather. For more details, visit cedarsales.com.au/terms-and-condition-of-trade.